



## 2.4-2.5GHz OMNI 3dBi ANTENNA FOR FEMALE



### Specifications/Special Features :

This antenna is designed for wifi wireless communications


Specification	
Model No.	OA-24-11
Frequency range	2400 ~ 2500MHz
Gain (dBi)	3 dBi
VSWR	<1.6
Impedance	50Ω
Polarization	Linear Vertical
HPBW / horizontal	360°
HPBW / vertical	30°
Max Power handling	50W
Antenna Connector	N FEMALE
Survival wind speed	180Km/hr
Temperature	-40°c ~ +80°c
Humidity	100%@25°c
Lightning Protection	Direct Ground
Radome color	White
Radome material	Fiberglass
Weight+Packing Weight	240g
Dimensions	L195×W34×H34mm

DA-24-11



2.4-2.5GHZ OMNI 3 dBi FOR N JACK




ANTENNA CONNECTOR :N FEMALE



1	FREQUENCY RANGE : 2400-2500MHZ	8	
2	GAIN : 3 dBi	9	
3	VSWR : < 1.6 : 1	10	
4	IMPEDANCE : 50 Ω	11	
5	POLARIZATION : LINEAR VERTICAL	12	
6	HPBW/HORIZONTAL : 360°	13	
7	HPBW/VERTICAL : 30°		



**H-PLANE**



**E-PLANE**

